

Fatigue & Fracture of Engineering Materials & Structures

Editor-in-Chief: Youshi Hong

Editors: Richard W. Neu, Filippo Berto, Takashi Nakamura & Thierry Palin-Luc

The International Journal for Structural Integrity

Fatigue & Fracture of **Engineering** Materials & **Structures**

The International Journal for Structural Integrity

Editor-in-Chief

Youshi Hong,

Institute of Mechanics

Chinese Academy of Sciences, China

Editors

Richard W. Neu,

Georgia Institute of Technology, USA

Filippo Berto.

Norwegian University of Science

and Technology, Norway

Takashi Nakamura,

Hokkaido University, Japan

Thierry Palin-Luc.

Arts et Metiers Paris Tech, France

Editorial Office:

Rajapriya Petchiappan

Wiley

9600 Garsington Road Oxford OX4 2DO, UK

Tel.: +44 (0)1865 476554 Website: www.ffemsjournal.com E-mail: ffems@wiley.com

Honorary Board Members

F. Brennan

The University of Strathclyde, UK

A. Carpinteri

University of Parma, Italy

M. Endo

Fukuoka University, Japan

R.C. McClung

Southwest Research Institute, USA

E. Patterson

University of Liverpool, UK

L.P. Pook

Sevenoaks, UK

R.O. Ritchie

University of California, USA

A. Saxena

University of Arkansas, USA

D.F. Socie

University of Illinois, USA

S. Stanzl-Tschegg

University of Meteorology and Physics, Austria

X.-R. Wu

Beijing Institute of Aeronautical Materials, China

J. Yates

Simuline Ltd, UK

Editorial Board

M.R. Ayatollahi

Iran University of Science and

Technology, Iran

S. Bagherifard

Politecnico di Milano, Italy

R. Bao

Beihang University, China

T Reck

Technical University of Kaiserslautern, Germany

P.M.S.T. de Castro

Universidade do Porto, Portugal

A. Chahardehi

Atkins Oil & Gas, UK

D. Chen

Ryerson University, Canada

Tianjin University, China

V. Doquet

Ecole Polyetchnique de Paris, France

A. Fatemi

Unuversity of Memphis, USA

M. Hammouda

Al Azhar University, Egypt

A.K. Hellier

University of Wollongong, Australia

N. Hrabe

NIST, USA

F. Iacoviello

University of Cassino, Italy

A. Ince

Concordia University, Canada

S. Kikuchi

Shizuoka University - Hamamatsu Campus, Japan

A. Kontsos

Drexel University, USA

U. Krupp

RWTH Aachen University, Germany

National Research Council, Canada

P. Lopez-Crespo

University of Malaga, Spain

L. Marsavina

Politehnica University of Timisoara, Romania

H. Matsunaga Kyushu University, Japan

Y. Matvienko

Politecnico di Torino

Russian Academy of Science, Russia

H. Mayer

BOKU, Austria

D. Paolino

G. Qian

Institute of Mechanics, CAS, China

National University of Singapore, Singapore

A. Sedmak

University of Belgrade, Serbia

N. Shamsaei

Auburn University, USA

A. Spagnoli

University of Parma, Italy

A. Spear

University of Utah, USA

L. Susmel

University of Sheffield, UK

S.-T. Tu

East China University of Science and

Technology, China

Y. Uematsu

Gifu University, Japan

S. Vantadori

University of Parma, Italy A. Varvani-Farahani

Ryerson University, Canada

P.J. Withers

S.P. Zhu

University of Electronic Science and Technology of China, China

The Univeristy of Manchester, UK

Founding Editor

The journal was founded in 1979 by K.J. Miller FREng (1932-2006)

Instructions to authors

"Please read Author Guidelines at "http://onlinelibrary.wiley.com/journal/10.1111/(ISSN)1460-2695" for more information."

The journal will be pleased to receive contributions from all parts of the world.

Only papers not previously published will be accepted and authors must agree not to publish elsewhere a paper submitted to and accepted by the journal.

Manuscripts

Manuscripts should be submitted online at http://mc.manuscriptcentral.com/ffems. Full instructions and support are available on the site and a user ID and password can be obtained on the first visit. Support can be contacted by e-mail at support@scholarone.com or at http://authorservices.wiley.com/bauthor/. If you cannot submit online, please contact the FFEMS Editorial Office by e-mail (ffems@wiley.com).

Evaluation. Manuscripts will be referred to one to three internationally acknowledged experts in the subject, who will make recommendations to the editors relative to the quality and length of the manuscript. Only those receiving favourable recommendations from the referees will be accepted for publication.

The title should be brief. The author's name should be typed on the line below the title. The affiliation and address should follow on the next line. In the case of co-authors, respective addresses should be clearly indicated, as well as which author is to receive correspondence and proofs for correction.

Multiple Authors. The corresponding author should, in a cover letter, state that all other authors have approved the submission.

Abstract. A short abstract (not exceeding 150 words) should immediately precede the Keywords and body of the work. Abstracts should be most informative, giving a clear indication of the nature and range of the results contained in the paper.

Keywords. To aid Abstracting and Indexing Services a few keywords or short (three-word) keyphrases, six maximum, should be provided after the Abstract.

Nomenclature. After the abstract, a complete list of the symbols used in the paper and their definitions should be given. Nomenclature should conform to that most frequently used in the engineering field concerned. The listing should be in alphabetical order; Roman language list first, Greek language list second.

An *Introduction* (700~900 words) and succinct Conclusions **must be included** for the benefit of non-specialist readers.

References

References to **published literature** should be quoted in the text with a superscript number. All references should be listed at the end of the manuscript in the order they appear in the text. Journal titles should be abbreviated in the style of the 4th edition of the World List of Scientific Periodicals and references should be arranged thus:

Reference to a journal paper:

Lazzarin P, Tovo R. A notch intensity factor approach to the stress analysis of welds. Fatigue Fract Eng Mater Struct. 1998;9: 1089-1103.

Reference to a book:

Lemaitre J, Chaboche JL. Mechanics of Solid Materials. UK: Cambridge University Press; 1994.

Reference to a chapter/paper in edited book/proceedings:

Kubo S, Misaki M. Molecular dynamics simulation of influence of grain boundary on near-threshold fatigue crack growth. In: Kitagawa H, Shibutani Y, eds. Proceedings of IUTAM Symposium on Mesoscopic Dynamics of Fracture Process and Materials Strength. Osaka: Kluwer Acad Publishers; 2004:311–320.

Illustrations and Tables

Tables and Figures can be inserted in the text for reviewing, For the purpose of production, each complete figure and table should be on a separate page attached to the text. All photographs, charts and diagrams should be referred to as "Fig." and numbered consecutively in the text. Tables and Figures should be submitted in a form suitable for direct reproduction with the lettering large enough to be legible after the diagram has been reduced in size for printing. The maximum size for submission is A4. In the full-text online edition of the Journal, figure legends may be truncated in abbreviated links to the full screen version. Therefore, the first key 100 characters of any legend should inform the reader of key aspects of the figure.

Electronic artwork

We would like to receive your artwork in electronic form. Please save vector graphics (e.g. line artwork) in Encapsulated PostScript format (EPS), and bitmap files (e.g. half tones) in Tagged Image File Format (TIFF). Ideally, vector graphics that have been saved in metafile (.WMF) or pict (.PCT) format should be embedded within the body of the text file. Detailed information on our digital illustration standards is available at http://authorservices.wiley.com/ bauthor/illustration.asp.

In order to provide good reproduction figures that have to be scanned should be at least 80mm on their shortest dimension, and should be scanned at 600 dpi or greater.

Colour figures

Authors are required to pay for the printed reproduction of colour figures. Colour figures should be submitted following the guidelines above for illustrations and electronic artwork. No charge is made for printing figures in monochrome in the paper version of the journal and in colour in the on-line version. In this instance

the monochrome figures should be submitted following the guidelines above, and in addition camera-ready colour versions of the figures and their captions should be submitted in a PDF file format. It is preferable that vector format (e.g. eps, 'wmf, pict') is maintained up to the creation of the PDF file for figures, such as graphs, that are normally generated in some form of vector format.

Supporting Information

Supporting information that will not be published in the print edition but will be viewable online can be submitted. Further information can be obtained from http://wileyonlinelibrary.com/journal/ffe

Proofs

Proofs will be sent via e-mail as an Acrobat PDF (portable document format) file. The e-mail server must be able to accept attachments up to 4MB in size. Acrobat Reader will be required in order to read this file. This software can be downloaded (free of charge) from the following Web site: http://www.adobe.com/products/acrobat/readstep2.html This will enable the file to be opened, read on screen, and printed out in order for any corrections to be added. Further instructions will be sent with the proof. Proofs will be posted if no e-mail address is available; in your absence, please arrange for a colleague to access your e-mail to retrieve the proofs. Please return the proof within 3 days of receipt to the address detailed in the e-mail.

Original manuscripts and diagrams will be discarded one month after publication unless the publisher is requested to return original material to the author.

Further details relating to Illustrations and Tables can be obtained by writing to the publishers.

Copyright

It is a condition of publication that authors grant the Publisher the exclusive licence to publish all articles including abstracts. Papers will not be considered for publication unless the exclusive licence to publish has been granted. If your paper is accepted, the author identified as the formal corresponding author for the paper will receive an email prompting them to login into Author Services; where via the Wiley Author Licensing Service (WALS) they will be able to complete the license agreement on behalf of all authors on the paper.

For authors signing the copyright transfer agreement If the Online Open option is not selected the corresponding author will be presented with the copyright transfer agreement (CTA) to sign. The terms and conditions of the CTA can be previewed in the samples associated with the Copyright FAQs below:CTA Terms and Conditions http://authorservices.wiley.com/bauthor/faqs_copyright.asp

For authors choosing OnlineOpen If the OnlineOpen option is selected the corresponding author will have a choice of the following Creative Commons License Open Access Agreements (OAA):

Creative Commons Attribution License OAA

Creative Commons Attribution Non-Commercial License OAA

Creative Commons Attribution Non-Commercial -NoDerivs License OAA

To preview the terms and conditions of these open access agreements please visit the Copyright FAQs hosted on Wiley Author Services http://authorservices.wiley.com/bauthor/faqs_copyright.asp and visit http://www.wileyopenaccess.com/details/content/12f25db4c87/Copyright_License.html.

If you select the OnlineOpen option and your research is funded by The Wellcome Trust and members of the Research Councils UK (RCUK) you will be given the opportunity to publish your article under a CC-BY license supporting you in complying with Wellcome Trust and Research Councils UK requirements. For more information on this policy and the Journal's compliant self-archiving policy please visit: http://www.wiley.com/go/funderstatement.

Authors are themselves responsible for obtaining permission to reproduce copyright material from other sources.

Early View

Fatigue & Fracture of Engineering Materials & Structures is covered by Wiley Publishing's EarlyView service. EarlyView articles are complete full-text articles published online in advance of their publication in a printed issue. Articles are therefore available as soon as they are ready, rather than having to wait for the next scheduled print issue. EarlyView articles are complete and final. They have been fully reviewed, revised and edited for publication, and the authors' final corrections have been incorporated. Because they are in final form, no changes can be made after online publication. The nature of EarlyView articles means that they do not yet have volume, issue or page numbers, so EarlyView articles cannot be cited in the traditional way. They are therefore given a Digital Object Identifier (DOI), which allows the article to be cited and tracked before it is allocated to an issue. After print publication, the DOI remains valid and can continue to be used to cite and access the article. More information on DOIs is available from the DOI foundation homepage at http://www.doi.org/fag.html

Contents

Original Articles

- 2143 U. Wöllner, R. Szlosarek and M. Kröger
 Fatigue behavior of agricultural rims under rotating bending load
- 2159 T. Haskel, G. O. Verran, R. Barbieri, J. da Silva and D. Novak Effects of strontium addition and T6 heat treatment on uniaxial fatigue of A356 aluminum alloy: Fatigue life and cyclic behavior
- 2174 L. Wu, Z. Jiao and H. Yu Study on small crack growth behavior of laser powder bed fused Ti6Al4V alloy
- 2187 Y. Liu, Z. Zhu, X. Che, Y. Li and H. Chen
 Fatigue properties and fracture behavior of Al/steel butt joints fabricated by
 laser-MIG welding-brazing
- 2200 Y. Nakai, D. Shiozawa, S. Kikuchi, H. Saito, T. Nishina, H. Kobayashi, T. Makino and Y. Neishi Inclusion orientation dependent flaking process in rolling contact fatigue observed by laminography using ultrabright synchrotron radiation X-ray
- 2215 R. D. F. Moreira, M. F. S. F. de Moura, F. G. A. Silva, J. S. Rodrigues and F. D. R. Silva Fracture characterization of a bi-material bonded aluminum/CFRP joints under mixed-mode I + II loading
- 2227 M. Su, L. Xu, C. Feng, Y. Han, L. Zhao and G. Xiao Microstructural investigation and model of fatigue short crack in EH36 steels
- 2243 Y. Wang, X. Yi, J. Han and Y. Xia Acoustic emission and computed tomography investigation on fatigue failure of fissure-contained hollow-cylinder granite: Cavity diameter effect
- 2261 S. M. Schackert and C. Schweizer Investigation of damage mechanisms and short fatigue crack growth during thermomechanical fatigue loading of the nickel-based superalloy Inconel 100
- 2277 S. Lu, P. Reed, R. Cook and Y. Zhang
 Modeling of crack path in layered architectures composed of dissimilar
 materials
- 2293 S. Karimi, F. Haji Aboutalebi and M. Heidari-Rarani
 Developments in remeshing-free fatigue crack growth simulation including
 a new adaptive virtual crack closure technique
- 2313 X. Chen, L. Hu, Z. Feng, Y. Guo, Y. Ning and X. Xue
 Dynamic splitting tensile behavior of rock–concrete bimaterial disc with
 multiple material types under different interface inclination angle
- 2329 Z. Zhao, W. Li, J. Ma, M. Yang, H. Kou, Y. He, S. Zheng and P. Dong Saturated water-weakening effects on the compressive behavior of thermally damaged granite
- 2344 Y. Zhang, L. Han, L. Qiao, J. Fan and B. Zhou Influence of Lode parameter on damage and fracture behavior of polyethylene materials
- 2356 D. Lee, D. Lim, H. Kim and S. Baek
 Bayesian method for estimating initial crack size distribution for
 probabilistic risk analysis of repairable structural details
- 2371 S. Jin, J. Sun and H. Yuan
 Anisotropic cyclic plasticity modeling for additively manufactured nickelbased superalloys
- 2388 X.-P. Zhou, F. Shen and F. Berto
 Experimental study on triaxial creep behavior of red sandstone under different pore pressures based on ultrasonic measurement

SI Contributions - VHCF8

- 2403 T. Miyakoshi, T. Atsumi, K. Kosugi, A. Hosoi, T. Tsuda and H. Kawada Evaluation of very high cycle fatigue properties for transverse crack initiation in cross-ply carbon fiber-reinforced plastic laminates
- 2415 Y. Furuya, Y. Shimamura, M. Takanashi and T. Ogawa Standardization of an ultrasonic fatigue testing method in Japan

Letter to the Editor

2421 Y. Shimamura, T. Hayashi, T. Fujii and K. Tohgo
Accelerated axial fatigue testing of carbon fiber reinforced plastics quasiisotropic laminate by using ultrasonic fatigue testing machine

Fatigue & Fracture of Engineering Materials & Structures

Volume 45 Number 8 August 2022

Fatigue Fract. Engng Mater. Struct. is indexed/ abstracted in Academic Search (EBSCO Publishing), Academic Search Alumni Edition (EBSCO Publishing), Academic Search Premier (EBSCO Publishing), CAS: Chemical Abstracts Service (ACS), Current Contents: Engineering, Computing & Technology (Clarivate Analytics), InfoTrac (GALE Cengage), INSPEC (IET), International Civil Engineering Abstracts (Emerald), Journal Citation Reports/Science Edition (Clarivate Analytics), Materials Science & Engineering Database (ProQuest), ProQuest Central (ProQuest), ProQuest Central K-188 Science Citation Index (Clarivate Analytics), Science Citation Index Expanded (Clarivate Analytics), Science Citation (ProQuest), VINITI (All-Russian Institute of Science & Technological Information)

Typeset by SPi Global, Philippines.
Printed in Singapore by C.O.S. Printers Pte Ltd

WILEY

wileyonlinelibrary.com/journal/ffe

This journal is available online at Wiley Online Library Visit wileyonlinelibrary.com to search the articles and register for table of contents email alerts.

Fatigue & Fracture of Engineering Materials & Structures

Editor-in-Chief: Y. Hong

Editors: R. W. Neu, F. Berto, T. Nakamura & T. Palin-Luc



Fatigue & Fracture of Engineering Materials & Structures

Editor-in-Chief Youshi Hong

Editors Richard W. Neu Filippo Berto Takashi Nakamura

Thierry Palin-Luc

The International Journal for Structural Integrity

wileyonlinelibrary.com/journal/ffe

Fatigue & Fracture of Engineering Materials & Structures encompasses the broad topic of structural integrity which is founded on the mechanics of fatigue and fracture, and is concerned with the reliability and effectiveness of various materials and structural components of any scale or geometry. The editors publish original contributions that will stimulate the intellectual innovation that generates elegant, effective and economic engineering designs. The journal is interdisciplinary and includes papers from scientists and engineers in the fields of materials science, mechanics. physics, chemistry, etc.

Disclaimer

The Publisher and Editors cannot be held responsible for errors or any consequences arising from the use of information contained in this journal; the views and opinions expressed do not necessarily reflect those of the Publisher and Editors, neither does the publication of advertisements constitute any endorsement by the Publisher and Editors of the products advertised.

Information for subscribers

Fatigue & Fracture of Engineering Materials & Structures (ISSN 8756-758X [Print], ISSN 1460-2695 [Online]) is published in 12 issues per year. Institutional subscription prices for 2022 are: Print & Online: US\$7292 (US), US\$8503 (Rest of World), €5010 (Europe), £3948 (UK). Prices are exclusive of tax. Asia-Pacific GST, Canadian GST and European VAT will be applied at the appropriate rates. For more information on current tax rates, please go to https://onlinelibrary.wiley.com/library-info/products/price-lists/payment. The price includes online access to the current and all online back files to January 1St 2018, where available. For other pricing options, including access information and terms and conditions, please visit https://onlinelibrary.wiley.com/library-info/products/price-lists. Terms of use can be found here: https://onlinelibrary.wiley.com/terms-and-conditions

Delivery Terms and Legal Title

Where the subscription price includes print issues and delivery is to the recipient's address, delivery terms are **Delivered at Place (DAP)**; the recipient is responsible for paying any import duty or taxes. Title to all issues transfers FOB our shipping point, freight prepaid.

Claims for Missing or Damaged Print Issues: Our policy is to replace missing or damaged copies within our reasonable discretion, subject to print issue availability, and subject to the following terms: Title to all issues transfers Freight on Board ("FOB") to the address specified in the order; (1) Freight costs are prepaid by Wiley; and (2) Claims for missing or damaged copies must be submitted by the Customer or Subscription Agent within the claims window, as noted below.

Claims window - General: Claims for missing print issues must be sent to cs-agency@wiley.com (and the Subscription Agent or Customer may be referred to a society) within three months of whichever of these dates is the most recent: date of submission; or date of issue publication.

Claims window - India: Both Subscription Agents and Customers in India have 48 hours after receipt of goods to confirm that all content listed on the packing label has been received. In the event of any discrepancy, SPUR Infosolutions, Wiley's delivery partner in India, needs to be notified within forty-eight (48) hours using this email address: support@spurinfo.com. All claims will be checked against

SPUR Infosolutions delivery records before the claim is accepted. The above terms for Wiley's claims policy otherwise apply.

Fatigue & Fracture of Engineering Materials & Structures (8756-758X) is published monthly. POSTMASTER: Send all address changes to FATIGUE & FRACTURE OF ENGINEERING MATERIALS & STRUCTURES, Wiley Periodicals LLC, C/O The Sheridan Press, PO Box 465, Hanover, PA 17331 USA.

Back issues: Single issues from current and recent volumes are available at the current single issue price from cs-journals@wiley.com. Earlier issues may be obtained from Periodicals Service Company, 351 Fairview Avenue – Ste 300, Hudson, NY 12534, USA. Tel: +1 518 822-9300, Fax: +1 518 822-9305, Email: psc@periodicals.com For submission instructions, subscription and all other information visit: https://onlinelibrary.wiley.com/journal/14602695

Fatigue & Fracture of Engineering Materials & Structures accepts articles for Open Access publication. Please visit https://authorservices.wiley.com/author-resources/Journal-Authors/open-access/hybrid-open-access.html for further information about Open Access.

This journal is available online at *Wiley Online Library*. Visit wileyonlinelibrary.com to search the articles and register for table of contents email alerts.

Publisher

Fatigue & Fracture of Engineering Materials & Structures is published by John Wiley & Sons Ltd, 9600 Garsington Road, Oxford, OX4 2DQ, UK. Tel.: +44 (0)1865 776868; fax: +44 (0)1865 714591.

Journal Customer Services: For ordering information, claims and any enquiry concerning your journal subscription please go to https://wolsupport.wiley.com/s/contactsupport?tabset-a7d10=2 or contact your nearest office.

Americas: Email: cs-journals@wiley.com; Tel: +1 877 762 2974

Europe, Middle East and Africa: Email: cs-journals@wiley.com; Tel: +44 (0) 1865 778315; 0800 1800 536 (Germany)

Asia Pacific: Email: cs-journals@wiley.com; Tel: +65 6511 8000.

Japan: For Japanese speaking support, Email: cs-japan@wiley.com; **Visit our Online Customer Help** at https://wolsupport.wiley.com/s/contactsupport?tabset-a7d10=2

Production Editor: Marco Concepcion (e-mail: ffe@wiley.com).

Wiley's Corporate Citizenship initiative seeks to address the environmental, social, economic, and ethical challenges faced in our business and which are important to our diverse stakeholder groups. Since launching the initiative, we have focused on sharing our content with those in need, enhancing community philanthropy, reducing our carbon impact, creating global guidelines and best practices for paper use, establishing a vendor code of ethics, and engaging our colleagues and other stakeholders in our efforts. Follow our progress at www. wiley.com/go/citizenship

Wiley is a founding member of the UN-backed HINARI, AGORA, and OARE initiatives. They are now collectively known as Research4Life, making online scientific content available free or at nominal cost to researchers in developing countries. Please visit Wiley's Content Access—Corporate Citizenship site: http://www.wiley.com/WileyCDA/Section/id-390082.html

Copyright and Copying (in any format)

Copyright © 2022 John Wiley & Sons, Ltd. All rights reserved. No part of this publication may be reproduced, stored or transmitted in any form or by any means without the prior permission in writing from the copyright holder. Authorization to copy items for internal and personal use is granted by the copyright holder for libraries and other users registered with their local Reproduction Rights Organisation (RRO), e.g. Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923, USA (www.copyright.com), provided the appropriate fee is paid directly to the RRO. This consent does not extend to other kinds of copying such as copying for general distribution, for advertising or promotional purposes, for republication, for creating new collective works or for resale. Permissions for such reuse can be obtained using the RightsLink "Request Permissions" link on Wiley Online Library. Special requests should be addressed to: permissions@wiley.com

Printed in Singapore by C.O.S. Printers Pte Ltd